

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S357	119	(write near2 global near2((bit near line) or bl or (bit-line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:49
S358	133	(write near2 global near2((bit near line) or bl or bitline or (bit-line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:50
S359	116	(write near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (read near2 (main or global) near2((bit near line) or bl or bitline or (bit-line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:52
S360	76	(write near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (read near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (local near (bitline or bl or bit-line or (bit near line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:52
S361	23	(write near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (read near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (local near (bitline or bl or bit-line or (bit near line))) and tunneling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:53
S362	42	(write near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (read near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (local near (bitline or bl or bit-line or (bit near line))) and (control adj gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:53
S363	39	(write near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (read near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (local near (bitline or bl or bit-line or (bit near line))) and (control adj gate) and (floating adj gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:55

EAST Search History

S36 4	26	(write near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (read near2 (main or global) near2((bit near line) or bl or bitline or (bit-line))) and (local near (bitline or bl or bit-line or (bit near line))) and (control adj gate) and (floating adj gate) and fn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 16:55
S36 5	0	"70148510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:28
S36 6	2	"7148510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:29
S36 7	2	"5818761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:07
S36 8	1	S367 and (bit near10 (negative))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:08
S36 9	1	S367 and ((sbl or subbit) near10 (negative))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:08